

The new **SEAT Ibiza**.




Your technical bit.

Data & equipment.

At SEAT Service, we offer comprehensive inspections by skilled professionals based on the age and mileage of your car.

You'll be assured that your vehicle is in optimal condition, as our professionals perform all the services included in the SEAT Maintenance Programme – using only SEAT Genuine parts.



The technical bit.

Safety	Reference	Style	Beats	Xcellence	FR
Tool kit	٠	•	٠	•	٠
iSOFiX + Top Tether Anchors in side rear seats	٠	•	•	•	•
Height adjustable rear headrests	•	•	•	•	٠
Rear drum brakes ¹	•	•	•	•	-
Rear disc brakes ¹	-	-	-	-	٠
Three points front safety belts	٠	•	•	•	•
Three points rear safety belts	٠	•	•	•	٠
Central locking system	•	•	•	•	٠
2 foldable keys with remote control function	٠	•	•	•	٠
Power locking with remote control	٠	٠	٠	-	٠
Central locking system "Keyless Entry" without Safelock	-	-	_	•	-
Rear Park Assist ²	0	0	0	•	0
Adaptive Cruise Control and speed limiter without "follow-to-stop" Central locking system "Keyless Entry" without SAFELOCK Forward collision warning including autonomous emergency braking, for adaptive cruise control "high" Tiredness Recognition	-	0	0	-	0
Easy Pack with safe ⁴ : Adaptive Cruise Control and speed limiter without "follow-to-stop" Central locking system "Keyless Entry" with SAFELOCK Forward collision warning including autonomous emergency braking, for adaptive cruise control "high" Tiredness Recognition	-	0	0	0	0
Security Pack: Central locking with radio remote control, interior controls and SAFELOCK ⁵ Anti-theft alarm system, interior monitoring, backup horn, and towing protection	0	0	0	0	0
Vision Pack: Park distance control (front and rear)	_	0	0	0	0
Vision Plus Pack: Park distance control (front and rear) Rear view camera	_	0	0	0	0

Safety	Reference	Style	Beats	Xcellence	FR	Exterior	Reference	Style	Beats	Xcellence	FR
Safety Pack: (EU28)						Performance 18" 20/1 alloy wheels	-	-	-	_	0
Three rear head restraints						All season tyres + 15" steel wheels	0	0	0	-	-
Side airbag in front, with curtain airbag Hill hold control						All season tyres + 15" alloy wheels	0	0	0	0	-
Windshield wiper intermittent control with photosensor						Standard wheel bolts	•	•	•	•	٠
Forward collision warning including autonomous emergency braking,						Wheel bolts with anti-theft protection (unlockable)	0	0	0	0	0
without adaptive cruise control Seat belt reminder, electric contact						Spare wheel with original steel wheel size ⁷	0	0	0	0	-
in the buckle, advanced safety equipment	•	٠	•	•	•	Reduced spare wheel 14"7	0	0	0	0	0
Indirect Tyre pressure monitoring system Driver and front passenger airbag with						Reduced spare wheel 15"7	-	0	0	0	0
passenger airbag deactivation						Emergency spare wheel (minimized) - 18"8	-	0	0	0	0
3-point seat belts, outer rear with ECE label Separate daytime running lights with automatic headlight activation						Twin halogen headlights with halogen Daytime Running Lights	•	٠	٠	-	-
Board computer Speed limiter without cruise control system						Twin halogen headlights with LED Daytime Running Lights	-	-	-	•	•
Three points front safety belts Electronic stability control (ESC)						Halogen Taillights	•	•	•	-	-
				1		LED Taillights	-	-	-	•	•
Exterior						Rear fog light	•	٠	٠	•	•
Standard roof	•	•	•	•	•	_ Front fog lamps with cornering function ⁹	0	0	0	•	•
Panoramic sunroof ⁶	0	0	0	0	0	_ Standard license plate lighting	•	•	•	•	•
Exterior door handles and exterior mirror case in black	•	-	-	-	-	Full Front LED lights + Rear LED + Licence plate LED + Interior Ambient Light ¹⁰	_	0	0	-	-
Exterior mirror housings painted	_	_	•	_	_	Full Front LED lights + Licence plate LED ¹¹	-	-	-	0	0
in Eclipse Orange						- Towing device ¹¹	0	0	0	0	0
Standard windows	•	•	•	•	•	 Towing device preparation 	0	0	0	0	0
Body-colored bumpers	•	•	•	•	-	- Car film protection	0	0	0	0	0
FR sport bumpers	-	-	-	-	•	- Red Pack ¹² :					
Upper front grill in glossy black	•	-	-	-	-	3-point seat belts, outer rear in Red					
Jpper front grill in chrome	-	٠	٠	•	•	Disk brakes in front (Geomet D)	-	-	-	-	0
Reference 14" steel wheels	•	-	-	-	-	 Disk brakes in rear 3-point seat belts in front in Red 					
Urban 15" 20/1 steel wheels	0	٠	-	_	-	Center rear 3-point seat belt in Red					
Enjoy 15" 20/1 alloy wheels	0	0	-	•	-	Light Pack:					
Design 16" 20/1 alloy wheels	-	0	-	_	-	 Interior light in footwell and Central Console 					
Urban 16" Black R alloy wheels	-	-	•	_	-	Interior ambient lighting	-	0	0	-	-
Design 16" 20/3 Machined alloy wheels	_	-	-	0	_	 Twin halogen headlights with LED Daytime Running Lights 					
Dynamic 17" 20/1 Machined alloy wheels	_	-	-	0	-	LED taillights					
Dynamic 17" 20/2 alloy wheels	_	-	_	_	•						

Standard Optional - Not available

¹ Only for engines with more than 100 HP.
² Requires ESC system.
³ Not compatible with 1.0 MPI & 1.6 MPI.
4 Requires alarm. Not compatible with 1.0 MPI
nor 1.6 MPI engines.
⁵ For Xcellence maintains the Keyless Entry with SAFELOCK.
⁶ Includes reading lights in ceiling. Requires Radio
with Bluetooth [®] . Not compatible with TGI engine.
⁷ Not compatible with TGI engine.
⁸ Only available for Beats audio. Not compatible with CNG.
⁹ Fog lamps frame painted: Xcellence: Atom grey,
FR: Brilliant black.
¹⁰ Without cornering function.
¹¹ Requires Spare Wheel. Not compatible
with 40 H and CNG engines.
¹² From week 48/18 with Greenhouse in Black. Only available
for Engines > 100 HP. Not compatible with CNG engines

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Exterior	Reference	Style	Beats	Xcellence	FR
Summer Pack : Side windows in heat-insulating glass Dark tinted windows Bright moldings ¹³	-	0	0	0	0
Interior					
Basic steering wheel	•	-	-	_	-
Leather multi-function steering wheel ¹⁴	-	•	•	•	٠
Left-hand drive vehicle	٠	•	•	•	٠
Right hand drive	0	0	0	0	0
Reference seats	٠	-	-	-	-
Style seats	-	٠	٠	-	-
Xcellence seats	-	-	-	•	-
FR seats	-	-	-	-	•
Foldable rear seats (Not spliting)	•	-	-	-	-
Split and foldable rear seats	0	٠	٠	•	٠
Seat trim covers for special editions	-	-	٠	-	-
Luggage pockets on backrest front seats	-	-	•	•	-
Removable seat covers	-	0	-	0	-
Height adjustable driver seat	•	٠	٠	-	-
Height-adjustable front seats (Driver and Co-Driver)	-	-	-	•	•
Chrome Pack High	-	-	•	•	•
Door panels in PVC	•	٠	•	_	-
Interior door and side trim panel with textile and decorative moulding	_	-	•	•	-
Leatherette PAD ¹⁵	-	-	-	0	•
Standard mouldings	-	٠	•	_	-
Bright mouldings	-	-	•	•	•
Standard dashboard	٠	٠	-	_	-
Ice Metal mate dashboard	_	-	٠	_	-
Smoker Pack	0	0	0	0	0
Foldable trunk cover	•	•	•	•	٠
Basic gearshift knob	•	-	-	_	-
Leather gearshift knob	-	•	•	•	•
Basic handbrake	•	٠	•	_	-

Interior

Leather handbro

Front center arm

Board computer Storage Pack¹⁶

Front center arm Drawer under le

> Double floor Po Drawers under f Mounting fixture Plane rear cargo

Luxe Pack¹⁸:

Comfort seats in Dinamica® blac Interior door sid + Dashboard in Three rear head Luggage pocket Without tie down

Gloss Pack¹⁹: Door pannel in (

Leather Pack:

Leather hand br Chrome pack Hi Leather gearshi Leather multi-fu with "X" pin

Color and Trim

Style Comfort se Driver sunvisor v Chrome pack bo Door handles ar Upper front grill

Color and Trim

Net on central co Chromed side wi Driver sunvisor w Dashboard Cold Front decorative Door handles and Upper front grill f Aluminium Door "Xcellence" engr Xcellence seats Chromed instrur Gear-knob deco /Bag stitching in Greenhouse bla

 Standard
 Optional - Not available

¹³ For Style includes chromed waist moulding. ¹⁴ With "X" pin for Xcellence and "FR" pin for FR.

¹⁵ Requires Gloss Pack until week 40/18.

¹⁶ Not available with AM Beats.

¹⁷ Not compatible with TGI engine.

¹⁸ Requires Pack EU28.

¹⁹ Is glossy black until week 39, From week 40

Ice Metal. Requires leatherette PAD.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

	Reference	Style	Beats	Xcellence	FR
orake	-	-	•	•	•
rmrest	-	•	٠	•	٠
er Plus	-	•	•	•	٠
k¹⁶: Irmrest r left front seat	-	0	-	•	0
Pack¹⁷: er front seats ure in luggage compartment rgo area	. –	0	-	0	0
s in front ack seats side trim panel with textile in simil leather ad restraints kets on backrest front seats own straps/net/pocket	-	-	-	0	0
n Glossy black	-	-	-	0	-
t: brake High shift knob -function steering wheel	-	0	-	-	-
m Style: t seats or with mirror and car-holder basic and mirror case painted rill frame chromed	r _	•	•	-	-
m Xcellence: console passenger window frame r with mirror and card-holder olour and Trim. High Trims ve inserts in fog lamps frame and mirror case in body colour ill frame chromed or step with ngraving ts rument pannel ecorative inserts in Mystic black		_	-	٠	-

Electronics	Reference	Style	Beats	Xcellence	FR
Electrically adjustable door mirrors	•	٠	•	_	-
Electrically adjustable and heated door mirrors	-	-	-	•	•
Front power windows	•	•	٠	•	٠
Rear power windows	0	0	0	0	0
Windshield wiper with intermittent control and potentiometer (four speeds)	•	•	٠	•	٠
Rear window wiper and washer system with intermitent control	•	•	٠	•	•
Dimming interior rear view mirror	•	•	•	•	•
Electronic vehicle immobilization device	•	•	•	•	•
Single-tone horn	•	•	٠	•	٠
Manually controlled heating system	•	-	-	-	-
Manually controlled air conditioning	0	•	•	•	•
Dust and pollen filter	_	٠	•	•	•
Front reading lights on driver and co-driver	-	•	•	•	•
Interior light in footwell, Central Console and Door pannel	-	-	•	•	•
6 speakers	-	•	•	•	•
AUX-in jack and 1 USB port	-	٠	•	•	•
Entry radio (Generation 2)	-	٠	•	•	•
Bluetooth®	-	•	•	•	•
Car stereo preinstallation + antitheft roof antenna	-	•	•	•	•
Full Link	-	0	٠	0	0
Digital Cluster	-	•	•	•	•
Wireless with MirrorLink ^{™20}	-	0	0	0	0
Wireless without MirrorLink ^{™20}	-	0	0	0	0
DAB - Digital radio ²¹	0	0	0	0	0
BeatsAudio ^{™22}	-	0	•	0	0
Connectivity Box without GSM Amplifier	-	0	0	0	0
Connectivity Box with GSM Amplifier	-	0	0	0	0
Navigation Maps	0	0	0	0	0
Navigation Maps with Mapcare	0	0	0	0	0
SEAT Drive Profile ²³	-	0	0	0	•

Electronic

Driver Pack²⁴: Tiredness Recog Cruise Control

Spring Pack: Exterior mirrors, and power-adju Climatronic with Breakaway inter auto-dimming Fresh air intakes combination filte

Separate daytin with automatic h and Coming Ho Windshield wipe with light and ra

Cool and Sound

Entry radio (Gen 4 speakers Car stereo preir roof antenna External, AUX-IN 1×USB socket Bluetooth® Dust and pollen Manually contro Board computer Multi-function st _____

● Standard O Optional - Not available

²⁰ Requires Connectivity Plus Pack. ²¹ Requires Infotainment system. ²² Not compatible with CNG engine. ²³ Not compatible with 1.0 MPI, 1.6 MPI Engines. Not compatible with CNG engines. ²⁴ Requires Multifunction steering wheel and Safety Pack. ²⁵ Serie in CNG engine. ²⁶ Includes 1 SD Card + 1 CD player in Glovebox.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

	Reference	Style	Beats	Xcellence	FR	Electronic	Reference	Style	Beats	Xcellence	FR
*: cognition System bl ors, power-folding djustable and heated	0	0	0	•	•	Connect Pack ²⁵ : Entry radio (Gen2) 4 speakers Car stereo preinstallation + antitheft roof antenna External, AUX-IN jack, USB type A, 1×USB socket	Ο	_	-	-	-
vith Air-care filter Iterior rear view mirror, g ke system with		0	0	0	0	Bluetooth® Board computer plus Multi-function steering wheel					
hter filter vtime running lights ic headlight activation Home feature iper intermittent control I rain sensor	-	0	0	0	0	Connectivity Plus Pack ²⁶ : 6 speakers Media System Plus 8" Black pannel AUX-IN jack and 2 USB ports Navigation system - Standard Antenna for AM/FM reception, "diversity"	, –	0	0	0	0
und: Gen2) einstallation + antitheft						 Bluetooth[®] Voice control Board computer plus Multi-function steering wheel 					
(-IN jack, USB type A, len filter itrolled air conditioning	0	-	-	-	-	Winter Pack: Electrically adjustable and heated door mirrors Seat heater for front seats separately controlled Height-adjustable front seats	0	0	0	0	0
n steering wheel						(Driver and Co-Driver) Heated washer nozzles in front					

Accessories.

Diamond Cut in Piano Black 18" alloy wheel	6F0071498
Sport Black 18" alloy wheel	6F4071498 - 5F0601171 CBX
Hub cap - Desire Red	6F0071409C 0X1
Hub cap - Mystery Blue	6F0071409C W5L
Diamond Cut in Piano Black 17" alloy wheel	6F0071497
Diamond Cut in Sport Black 18" alloy wheel	6F0071498D 10V
Center insert - Silver	6F0071409D
Center insert - Desire Red	6F0071409B
Center insert - Mystic Magenta	6F0071409A
Center insert - Mystery Blue	6F0071409
Diamond Cut in Cosmo Grey 17" alloy wheel	6F0071497G 67E
Anti-theft screws for rims	000071510A
Front styling kit	6F0071606 GRU
Side skirts	6F0071685 GRU
Rear Bumper Diffuser	6F0071611 9B9
Rear Spoiler	6F0071640 GRU
Exterior	
Chromed hatchback moulding	6F0071360
Black hatchback moulding	6F0071360A
Exterior mirror covers - Piano Black	6F0072530 041
Exterior mirror covers - Desire Red	6F0072530 0X1
Exterior mirror covers - Mystic Magenta	6F0072530 S4Y
Exterior mirror covers - Mystery Blue	6F0072530 W5L
Interior	
Additional interior mirror	000084418A
nterior mirror - Black	6F0072540 041
nterior mirror - Desire Red	6F0072540 0X1
nterior mirror - Mystic Magenta	6F0072540 S4Y
nterior mirror - Mystery Blue	6F0072540 W5L
nternal mirror electrochromed - Black	6F0072540A 041
nternal mirror electrochromed - Desire Red	6F0072540A 0X1
nternal mirror electrochromed - Mystic Magenta	6F0072540A S4Y
nternal mirror electrochromed - Mystery Blue	6F0072540A W5L
Center console mats "Barcelona streets" - Set of 4 mats	6F0061169
Center console mats "Barcelona streets" - Set of 3 mats	6F0061169A
Arm rest - leather	6F0061123 XU2
Arm rest - fabric	6F0061123 LI8
Spherical cup holder	1SL061129A

Interior

Net between se
Net between se
Net between se
Net between se
Foil side sills
Illuminated sid
Side sun shade
Rear sun shade
Espresso mach

Sport custom

Steering wheel
Gear knob 5 s
Gear knob 6 s
Key cover
Pedals
Footrest
Floor mats
Floor mats (Rig
Inox side sills
Exterior sticker

Urban Tech cu

Steering wheel
Gear knob 5 sp
Gear knob 6 sp
Key cover
Pedals
Footrest
Floor mats
Floor mats (Rig
Inox side sills
Exterior sticker
Treast

Trend custon

Steering wheel Gear knob 5 sp Gear knob 6 sp Key cover Pedals Footrest

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

ats - Black	6F0017221A
ats - Desire Red	6F0017221B 0X1
ats - Mystic Magenta	6F0017221B S4Y
ats - Mystery Blue	6F0017221B W5L
	6F0071310
e sills	6J0071691C
'S	6F0064365
es	6F0064365A
ine	000069641
misation	
	6F0072390 0X1
)	6F0064230 0X1
)	6F0064230A 0X1
	6F0087013C
	6F0064200 0X1
	6F0071750A 0X1
	6F1863011C LOE
ht hand drive vehicles)	6F2863011C LOE
	6F0071691
	6F0071316C
customisation	
	6F0072390 W5L
)	6F0064230 W5L
)	6F0064230A W5L
	6F0087013B
	6F0064200 W5L
	6F0071750A W5L
	6F1863011B LOE
ht hand drive vehicles)	6F2863011B LOE
	6F0071691A
	6F0071316B
misation	
	6F0072390 S4Y
	6F0064230 S4Y
)	6F0064230A S4Y
	6F0087013A
	6F0064200 S4Y
	6F0071750A S4Y

Trend customisation	
Floor mats	6F1863011A LOE
Floor mats (Right hand drive vehicles)	6F2863011A LOE
Inox side sills	6F0071691B
Exterior sticker	6F0071316A
Transport	
Surfrack	000071120HA
Ski rack - 4 pairs	000071129S
Ski rack - 6 pairs	000071129T
Ski rack xtender	000071129R
Load-Stop rack	000071223
Roof box - 400l	000071200T
Roof box - 420l	000071200AB
Roof box - 450l	000071180A
Roof Bars	6F0071151 - 6F0071151A
Bike rack	5F9071128
Electric kit with pre-installation	6F0055204
Electric kit without pre-installation	6F1055204A
Electric kit without pre-installation (Right hand drive vehicles)	6F2055204A
Tow bar bike rack for 2 bikes	000071128K
Kit 3 rd bike extension	000071128J
Tow bar bike rack	000071128H
Tow bar	6F0803881
Towing bike rack	000071128G
Towing ski rack	000071129L
Protection	
Front mud flaps	6F0075111
Rear mud flaps	6F0075101
Tyre cover	000071770C
Black car cover	6F0061701A
White car cover	6F0061701
Rear bumper protective film	6F0071363
Key cover - FR	000087013AE
Key cover - SEAT Logo	000087013AF
Key cover - CUPRA	000087013AJ
Rubber mats	6F1061500 041
Rubber mats (Right hand drive vehicles)	6F2061500 041
Textile mats Trail	6F1061675 041
	010010/3 041

Protection	
Textile mats Serie (Right hand drive vehicles)	6F2863011 LOE
Textile mats Velpic®	6F1061675A 041
Boot organiser	575061205A
Separation grille	6F0017221
Foam boot tray	6F0061180
Semi rigid boot tray	6F0061180A
Reversible boot mat without double level	6F0061210
High walls boot tray	6F0061201
Seat belt pad	000069629B
lce scrapper	000096010C - 000096010D
 Infotainment	
GPS Ultra	000051818CG
Holder with magnetic suction cup	000051991K
Nextbase 101 Elite	000054731A
Parrot® MiniKit Neo 2 HD - Black	000051473AE041
Start 42 EU 23 countries (Lifetime maps)	000051818AQ
Start 62 EU 45 (Lifetime maps)	000051818CE
GO 520 EU 45 (Lifetime maps)	000051818CJ
GO 620 EU 45 (Lifetime maps)	000051818CK
GO 5200 EU 45 (Lifetime maps)	000051818CL
GO 6200 EU 45 (Lifetime maps)	000051818CM
Twonav Anima+ GPS	000051818CH
Universal magnetic mount	000061129F
Navlet 7i Full Hd Tablet + GPS	000063500M
SEAT Full Link	5F0054830
Tetrax XWAY	000096320GMAAA
Tetrax SMART	000096320GMAAB
Tetrax FIX	000096320GMAAC
Inductive charger	000051763Q
Charging cable for iPhone® and Android smartphones	000051444AK

Security

iSOFiX Duo Plus SEAT PEKE G1 I-S SEAT PEKE Peke iSOFiX Baby-safe Child safety Kidfi Top Tether Safet 9,900 mAh batter 15,000 mAh batte Warning triangle 2 Emergency tria Fluorescent vest Safety Pack (triar Triangle fastenin First-aid kit Safety dog harne Safety dog harne Safety dog harne Safety dog harne Help flash Kaza live alert sm **Tiredness recogn** Snow chains: Autosock (185/7 Autosock (185/6 Autosock (195/5 Autosock (215/4 Autosock (215/4 Turisport (185/7 Turisport (185/6 Easygrip (185/70 Easygrip (185/6 Easygrip (195/5 Maintenance

Insect remover Interior cleaner Dashboard Clean 300ml concentrat 300ml windscreer

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

	000019909G	_
Size Trifix	000019909F	
G0 I-Size Plus	000019907A	
fe Plus SHR II	000019907B	
fix XP	000019906M	
ty Belt	3R0019900	
ery jump starter	000051763F	
tery jump starter + charger	000051763H	
e	000093056A	
angle pack	000093600C	
t	000093056J	
angles + vest)	000093990R	
ng support	6K0860265	
	6L0093000	
ness - Size XL	000084310B	
iess - Size L	000084310C	
ness - Size M	000084310D	
iess - Size S	000084310E	
	000052122A	
martwatch	000054635E	
nition system	6F0060884	
70 R14]	000091375AE	
65 R15)	000091375AE	
55 R16)	000091375AE	
+5 R17)	000091301B	
+0 R18)	000091301B	
70 R14]	000091303C	
65 R15)	000091303D	
′O R14)	000091375H	
65 R15)	000091375G	
55 R16)	000091375EM	
9		

Summer maintenance kit	000096354B	
Winter maintenance kit	000071980BPADA 000098500L B9A	
Touch-up pencil Candy White		
Touch-up pencil Mediterranean Blue	000098500LM511	
Touch-up pencil Mystic Magenta	000098500LMS4Y	
Touch-up pencil Eclipse Orange	000098500LMW2Y	
Touch-up pencil Mystery Blue	000098500LMW5L	
Touch-up pencil Desire Red	000098500LM0X1	
Touch-up pencil Urban Silver	000098500LMZ7G	
Touch-up pencil Magnetic Tech	000098500LMS7H	
Touch-up pencil Midnight Black	000098500LMY9T	
Touch-up pencil Nevada White	000098500LMS9R	

Beats

Maintenance

Key cover	6F0087013D
Interior mirror cover	6F0072540B
Music pedals	6F1064200A
Floor mats	6F1863011D LOE
Floor mats (Right hand drive vehicles)	6F2863011D LOE

	000096320FRABH	_
	000096320FRABK	
ner	000096320FRABM	
ated shampoo	000096320GFAAB	
en wash	000096320GFAAD	

 Child car seats	Age (approximate)
SEAT PEKE Peke GO I-Size Plus	Up to 15 months
iSOFiX BABY-SAFE PLUS SHR II	Up to 15 months
SEAT PEKE G1 I-Size Trifix	9 months to 4 years
iSOFiX Duo Plus	9 months to 4 years
Child safety Kidfix XP	4 to 12 years

Engine		1.0 MPI 65 HP (48 kW) Start/Stop	1.0 MPI 80 HP (59 kW) Start/Stop	1.0 EcoTSI 95 HP (70 kW) Start/Stop	
Cylinder/Valve (total)		3/12	3/12	3/12	
Displacement (cc)		999	999	999	
Cylinder bore and stroke (mm)		74.5×76.4	74.5×76.4	74.5×76.4	
Compression ratio		12.5	11.5	10.5	-
Maximum power (kW (HP)/rpm)		48 (65)/5,500	59 (80)/6,200	70 (95)/5000-5500	
Maximum torque (Nm/rpm)		95/3,000	95/3,000	175/ 2,000-3,500	
uel supply system		Multipoint injection	Multipoint injection	TSI-Direct Injection	-
gnition		Positiv Ignition (Electronic map	-controlled ignition)		
Atmospheric/Supercharged		Natural aspirated	Natural aspirated	Turbo charged	
Fuel type		ROZ 95	ROZ 95	ROZ 95	
Oil capacity in initial fill (I)		4.3	4.3	4.3	
Alternator (A)		110A (8GD/ 8GG)	110A (8GD/ 8GG)	110A (8GG)	
Battery (Ah/A)		59 Ah (JOS)	59 Ah (JOS)	59 Ah (JOS)	
Performance					
Maximum speed (km/h)		162 (5°)	169 (4ª)	182 (°)	
Acceleration 0-80 km/h (s)		9.9	9.3	7.2	
Acceleration 0-100 km/h (s)		15.2	14.7	10.9	
acceleration 80-120 km/h (s)		23.5	17.1	10.9	
acceleration 1000 m (s)		36.6	35.9	32.8	
Fuel consumption					
Urban (l/100 km)		-	-		
Extra urban (l/100 km)		-	-	_	
Combined (l/100 km)		-	-	_	
Combined WLTP Range (l/100km)		-	-		
CO2 mass emission					
CO2Urban (g/km)		_	-	-	
CO2 Extra Urban (g/km)		_	-	-	
CO ₂ Combined (g/km)		_	-	-	
Combined WLTP Range (l/100km)		-	-	_	
Transmission					
Gearbox type		MQ200-5F	MQ200-5F	MQ200-5F	
Ratios	1	3.769	3.769	3.769	
	 	1.955	1.955	1.955	
		1.212	1.281	1.281	
	IV	0.881	0.927	0.927	
	V	0.740	0.740	0.740	
	VI	-	-	-	
	VII			-	
	v 11				

Transmission

Group 1 ratio
Group 2 ratio
Group 3 ratio
Speed 1000 rpm

Chassis

Front suspension Rear suspension Steering System Turning diameter (Brake system Front/Rear brake ty Front brakes (mm)

Rear brakes (mm)

Wheels

Rims

Tyres

Dimensions

Body type Length/width/heigh Wheelbase (mm) Track front/rear (mr Boot capacity (l) Fuel tank capacity

Weights

In running order wi Maximum weight wi Maximum weight a Maximum weight wit Maximum weight w/brake 8% (kg) Maximum weight w/brake 12% (kg)

1,000

800

1	1.0 MPI 65 HP (48 kW) Start/Stop	1.0 MPI 80 HP (59 KW) Start/Stop	1.0 EcoTSI 95 HP (70 kW) Start/Stop
R	3.454	3.181	3.181
	4.929	4.929	3.625
	-	-	_
	_	_	
n in IV/V/VI/VII (km/h)	26.0/31.0	26.0/31.0	33.6/42.1
	Independent type McPherson -	coil sprinas - hvdraulic shock absorber [Va	riable shock absorber settings (switchable shock absorber)]
	. ,.		absorber settings (switchable shock absorber)]
	C-EPS (Column Electric Power S		
(m)	10.6		
	ESC Standard (including HHC, E	EBA, TCS, EDS, RKA, XDS), ABS Option for no	o EU6 Motor
type	Ventilated front brakes/Drum-D		
1)	Ø 256×22	Ø 256×22	Ø 256×22
1	TB 203×38	TB 228×42	TB 228×42
, ,			
	5J×14 ET38 5.5J×15 ET40 6.5J×16 ET47 7J×17 ET51 7J×18 ET51 185/70 R14 88H 185/65 R15 88H 185/65 R15 88V 195/55 R16 91V XL	5J×14 ET38 5.5J×15 ET40 6.5J×16 ET47 7J×17 ET51 7J×18 ET51 185/70 R14 88H 185/65 R15 88H 185/65 R15 88V 195/55 R16 91V XL	5J×14 ET38 5.5J×15 ET40 6.5J×16 ET47 7J×17 ET51 7J×18 ET51 185/70 R14 88H 185/65 R15 88H 185/65 R15 88V 195/55 R16 91V XL
	215/45 R17 91W XL 215/40 R18 91W XL	215/45 R17 91W XL 215/40 R18 91W XL	215/45 R17 91W XL 215/40 R18 91W XL
:	5D		
ight (mm)	4,059/1,780/1,444		
	2,564		
mm)	1,525/1,505		
(1)	355		
y (l)	40		
with driver (kg)	1,099	1,099	1,134
with driver (kg) Front/Rear	651/448	651/448	683/451
t allowed (kg)	1,520/1,610	1,520/1,610	1,550/1,640*
without brake (kg)	580	580	560

*MMTA varies according to trim.

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

1,100

1,000

1,000

800

Cylinder/Valve (total) 3/12 4/16 3/12 Displacement (cc) 999 1498 999 Cylinder bore and stroke (mm) 74.5×76.4 74.5×85.9 74.5×76.4 Compression ratio 10.5 10.5 10.5 Maximum power (kW (HP)/rpm) 85 (115)/5,000-5,500 110 (150)/5,000-6,000 66 (90)/4,500-5,800 Maximum torque (Nm/rpm) 200/2,000-3,500 250/1,500-3,500 160/1,900-3,500 Fuel supply system TSI-Direct Injection TSI-Direct Injection TSI-Direct Injection	Transmission
Cylinder bore and stroke (mm) 74.5×76.4 74.5×85.9 74.5×76.4 Compression ratio 10.5 10.5 10.5 Maximum power (kW (HP)/rpm) 85 (115)/5,000-5,500 110 (150)/5,000-6,000 66 (90)/4,500-5,800 Maximum torque (Nm/rpm) 200/2,000-3,500 250/1,500-3,500 160/1,900-3,500 Fuel supply existen TSL Direct lejection TSL Direct lejection TSL Direct lejection/	
Compression ratio 10.5 10.5 Maximum power (kW (HP)/rpm) 85 (115)/5,000-5,500 110 (150)/5,000-6,000 66 (90)/4,500-5,800 Maximum torque (Nm/rpm) 200/2,000-3,500 250/1,500-3,500 160/1,900-3,500 Fuel supply system TSL Direct laighting TSL Direct laigting TSL Direct laigting	Group 1 ratio
Maximum power (kW (HP)/rpm) 85 (115)/5,000-5,500 110 (150)/5,000-6,000 66 (90)/4,500-5,800 Maximum torque (Nm/rpm) 200/2,000-3,500 250/1,500-3,500 160/1,900-3,500 Fuel supply system TSL Direct laigetion TSL Direct laigetion TSL Direct laigetion	Group 2 ratio
Maximum torque (Nm/rpm) 200/2,000-3,500 250/1,500-3,500 160/1,900-3,500 Fuel supply system TSL Direct lajection TSL-Direct Injection/	Group 3 ratio
Fuel supply system TSL Direct Injection TSL Direct Injection/	Speed 1000 rpm in IV
Tormode, Molupoint injection	Front suspension
Ignition Positiv Ignition (Electronic map-controlled ignition)	Rear suspension
Atmospheric/Supercharged Turbo charged Turbo charged Turbo charged Turbo charged	Steering System
Fuel type ROZ 95 ROZ 95 ROZ 95/TGI	Turning diameter (m
Oil capacity in initial fill (1) 4.3 4.8 4.3	Brake system
Alternator (A) 110A (8GG) 110A (8GG) 110A (8GG)	Front/Rear brake typ
Battery (Ah/A) 59 Ah (JOS) 59 Ah (JOS) 59 Ah (JOS)	Front brakes (mm)
Performance	Rear brakes (mm)
Maximum speed (km/h) 195 (5°) 193 (6°) 215 (5°) 180 (5°)	
Acceleration 0-80 km/h (s) 6.4 6.5 5.6 7.9	
Acceleration 0-100 km/h (s) 9.3 9.5 7.9 12.1	
Acceleration 80-120 km/h (s) 10.9 11 9.1 19.4	
Acceleration 1000 m (s) 30.8 31.4 30.6 34	
	Tyres
Fuel consumption -	_
Urban [l/100 km] - - - Extra urban [l/100 km] - - -	_
Extra urban (1/100 km) - - - - Combined (1/100 km) - - - - -	_
Combined WLTP Range (I/100km)	Dimensions
CO ₂ mass emission	Body type
<u>CO₂Urban (g/km)</u>	Length/width/heigh Wheelbase (mm)
CO2 Extra Urban (g/km)	
CO ₂ Combined (g/km)	Track front/rear (mn
Combined WLTP Range (I/100km)	Boot capacity (l)
Transmission	Fuel tank capacity (I
Gearbox type MQ200-6F DQ200-7F MQ250-6F MQ200-6F	Weights
Ratios I 3.769 3.765 3.778 3.769	In running order wit
ll 1.955 2.273 2.118 1.947	Maximum weight wit
III 1.281 1.531 1.360 1.281	Maximum weight a
IV 0.973 1.122 1.029 0.927	Maximum weight wit
V 0.778 1.176 0.857 0.740	Maximum weight w
VI 0.642 0.951 0.733 0.611	Maximum weight w/
VII - 0.795	

Transmission

Group 1 ratio
Group 2 ratio
Group 3 ratio
Speed 1000 rpm in N

Chassis

Front suspension
Rear suspension
Steering System
Turning diameter (
Brake system
Front/Rear brake t
Front brakes (mm)

Wheels

Dimensions

Weights

In running order wit Maximum weight wi Maximum weight a Maximum weight wit Maximum weight w Maximum weight w/brake 12% (kg)

	1.0 EcoTSI 115 HP (85 kW) Start/Stop DQ Start/Stop	1.5 EcoTSI 150 HP (110 KW) Start/Stop	1.0 TGI 90 HP (66 kW) Start/Stop
R	3.181 4.168	3,600	3.182
	3.789 4.438	3.389	4.357
	- 3.227	_	_
	- 4.173	_	_
IV/V/VI/VII (km/h)	31.0/38.7/47.0 22.9/30.1/37.2/44.5	32.7/39.3/45.9	28.0/35.0/42.4
	Independent type McPherson - coil sprin	gs - hydraulic shock absorber [Variable sł	nock absorber settings (switchable shock absorber)]
	Semirigid axle, coil springs and hydraul	ic shock absorber [Variable shock abso	rber settings (switchable shock absorber)]
	C-EPS (Column Electric Power System)		
m)	10.6		
	ESC Standard (including HHC, EBA, TCS	, EDS, RKA, XDS), ABS Option for no EU6	5 Motor
ype	Ventilated front brakes / Drum-Disc bra	kes in rear axle	
	Ø 276×24	Ø 276×24	Ø 256×22
	Ø 230×9	Ø 230×9	TB 228×42
	5J×14 ET38	5J×14 ET39	5J×14 ET39
	5.5J×15 ET40	5.5J×15 ET40	5.5J×15 ET40
	6.5J×16 ET47 7J×17 ET51	6.5J×16 ET47 7J×17 ET51	6.5J×16 ET47 7J×17 ET51
	7J×18 ET51	7J×18 ET51	7J×18 ET51
	185/70 R14 88H	185/70 R14 88H	185/70 R14 88H
	185/65 R15 88H	185/65 R15 88H	185/65 R15 88H
	185/65 R15 88V 195/55 R16 91V XL	185/65 R15 88V 195/55 R16 91V XL	185/65 R15 88V 195/55 R16 91V XL
	215/45 R17 91W XL	215/45 R17 91W XL	215/45 R17 91W XL
	215/40 R18 91W XL	215/40 R18 91W XL	215/40 R18 91W XL
	5D		
ht (mm)	4,059/1,780/1,444		
	2,564		
m)	1,525/1,505		
	355 (TGI 262)		
(l)	40 (TGI 9)		
ith driver (kg)	1,149 1,172	1,184	1,257
ith driver (kg) Front/Rear	700/449 724/448	736/448	678/570
allowed (kg)	1,570/1,660 1,590/1,680 *	1,600/1,620/1,660/1,700*	1,690*
rithout brake (kg)	570 580	590	-
v/brake 8% (kg)	1,200	1,200	-
v/brake 12% (kg)	1,100	1,200	-

*MMTA varies according to trim.

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine		1.6 TDI 80 HP (59 kW) Start/Stop	1.6 TDI 95 HP (70 kW) Start/Stop DQ
Cylinder/Valve (total)		4/16	4/16
Displacement (cc)		1598	1598
Cylinder bore and stroke (mm)		79.5×80.5	79.5×80.5
Compression ratio		16.2	16.2
Maximum power (kW (HP)/rpm)		59 (80)/2,700-4,800	70 (95)/2,750-4,600
Maximum torque (Nm/rpm)		230/1,400-2,400	250/1,500-2,600
Fuel supply system		Direct injection: Common Rail	
Ignition		Compressed ignition	Compressed ignition
Atmospheric/Supercharged		Turbo charged	Turbo charged
Fuel type		Diesel	Diesel
Oil capacity in initial fill (I)		5	5
Alternator (A)		110A /140A (8GG/8GU)	110A /140A (8GG/8GU)
Battery (Ah/A)		70Ah (JOV)	70Ah (JOV)
Performance			
Maximum speed (km/h)		169 (4ª)	182 (4ª) 181 (6ª)
Acceleration 0-80 km/h (s)		8.6	7.5 7.8
Acceleration 0-100 km/h (s)		13.3	11.3 11.2
Acceleration 80-120 km/h (s)		12.6	10.9 11.2
Acceleration 1000 m (s)		35.1	33.3 33.9
Fuel consumption			
Urban (l/100 km)		_	_
Extra urban (l/100 km)		_	
Combined (l/100 km)		_	
Combined WLTP Range (l/100km)		-	-
CO₂ mass emission			
CO2Urban (g/km)		_	
CO ₂ Extra Urban (g/km)		-	
CO ₂ Combined (g/km)		-	
Combined WLTP Range (l/100km)		-	
 Transmission			
Gearbox type		MQ250-5F	MQ250-5F DQ200-7F
Ratios		3.778	3.778 3.500
		1.944	1.944 2.087
		1.185	1.185 1.343
	IV	0.816	0.816 0.933
	V	0.625	0.625 0.974
	VI		- 0.778
	VII	_	- 0.653

Transmission

Group 1 ratio Group 2 ratio Group 3 ratio Speed 1000 rpm in

Chassis

Front suspension

Rear suspension Steering System Turning diameter (

Brake system Front/Rear brake ty

Front brakes (mm)

Rear brakes (mm)

Wheels

Rims

Tyres

Dimensions Body type Length/width/heigh Wheelbase (mm)

Track front/rear (mr Boot capacity (I) Fuel tank capacity (

Weights

In running order with driver (kg) Maximum weight with driver (kg) Fr Maximum weight allowed (kg) Maximum weight without brake (kg Maximum weight w/brake 8% (kg Maximum weight w/brake 12% (kg

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

3.600 3.721 3158 - 3.227 - 4.176 / - 27.3 / 35.9 / 45.0 / 53.6 type McPherson - coil springs - hydraulic shock absorber [Variable shock absorber settings nock absorber]] e, coil springs and hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)] nn Electric Power System] -
- 3.227 - 4.176 / - 27.3 / 35.9 / 45.0 / 53.6 type McPherson - coil springs - hydraulic shock absorber [Variable shock absorber settings tock absorber]] e, coil springs and hydraulic shock absorber [Variable shock absorber settings [switchable shock absorber]] mn Electric Power System]
- [4.176 / - 27.3 / 35.9 / 45.0 / 53.6 type McPherson - coil springs - hydraulic shock absorber [Variable shock absorber settings hock absorber]] e, coil springs and hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)] mn Electric Power System]
/ - 27.3 / 35.9 / 45.0 / 53.6 type McPherson - coil springs - hydraulic shock absorber [Variable shock absorber settings hock absorber]] e, coil springs and hydraulic shock absorber [Variable shock absorber settings [switchable shock absorber]] mn Electric Power System]
type McPherson - coil springs - hydraulic shock absorber [Variable shock absorber settings tock absorber]] e, coil springs and hydraulic shock absorber [Variable shock absorber settings [switchable shock absorber]] nn Electric Power System]
nock absorber]] e, coil springs and hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)] mn Electric Power System)
nn Electric Power System)
-
d (including HHC, EBA, TCS, EDS, RKA, XDS), ABS Option for no EU6 Motor
nt brakes/Drum-Disc brakes in rear axle
Ø 276×24
TB 228×42
8H 185/70 R14 88H 8H 185/65 R15 88H 8V 185/65 R15 88V 1V XL 195/55 R16 91V XL IW XL 215/45 R17 91W XL 1W XL 215/40 R18 91W XL
A 1 1 1
1,444
1,256 1,275
792/460 812/463
1,670-1,750 1,690-1,770
620 630
1,200
1,100

Engine		1.6 TDI 115 HP (85 kW) Start/Stop
Cylinder/Valve (total)		4/16
Displacement (cc)		1598
Cylinder bore and stroke (mm)		79.5×80.5
Compression ratio		16.2
Maximum power (kW (HP)/rpm)		85 (115)/3,250-4,000
Maximum torque (Nm/rpm)		250/1,500-3,200
Fuel supply system		Direct injection: Common Rail
Ignition		Compressed ignition
Atmospheric/Supercharged		Turbocharged
Fuel type		Diesel
Oil capacity in initial fill (I)		5
Alternator (A)		110A /140A [8GG/8GU]
Battery (Ah/A)		70Ah (JOV)
Performance		
Maximum speed (km/h)		195 (6°)
Acceleration 0-80 km/h (s)		6.6
Acceleration 0-100 km/h (s)		10.0
Acceleration 80-120 km/h (s)		15.6
Acceleration 1000 m (s)		31.9
Fuel consumption		
Urban (l/100 km)		
Extra urban (l/100 km)		-
Combined (l/100 km)		-
Combined WLTP Range (l/100km)		-
CO2 mass emission		
CO₂Urban (g/km)		-
CO2 Extra Urban (g/km)		
CO ₂ Combined (g/km)		
Combined WLTP Range (l/100km)		-
Transmission		
Gearbox type		MQ250-6F
Ratios	1	3.778
		1.944
		1.269
	IV	0.971
	V	0.773
	VI	0.625
	VII	-
	V II	

Transmission

Group 1 ratio Group 2 ratio Group 3 ratio Speed 1000 rpm in

Chassis

Front suspension Rear suspension Steering System Turning diameter (n Brake system Front/Rear brake ty Front brakes (mm)

Rear brakes (mm) Wheels

Rims

Tyres

Dimensions

Body type Length/width/heigh Wheelbase (mm) Track front/rear (mm Boot capacity (I) Fuel tank capacity (I)

Weights

In running order wit Maximum weight wit Maximum weight al Maximum weight wit Maximum weight wit Maximum weight wit

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

	1.6 TDI 115 HP (85 kW) Start/Stop
R	3.6
	3.158
	-
	-
n IV/V/VI/VII (km/h)	27.3/35.9/45.0/53.6
	Independent type McPherson - coil springs - hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)]
	Semirigid axle, coil springs and hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)]
	C-EPS (Column Electric Power System)
(m)	10.6
lmj	
-	ESC Standard (including HHC, EBA, TCS, EDS, RKA, XDS), ABS Option for no EU6 Motor
type	Ventilated front brakes/Drum-Disc brakes in rear axle
]	Ø 276×24
	Ø 230×9
	5Jx14 ET38
	5.5J×15 ET40
	6.5J×16 ET47 7J×17 ET51
	7×18 ET51
	185/70 R14 88H
	185/65 R15 88H
	185/65 R15 88V
	195/55 R16 91V XL 215/45 R17 91W XL
	215/40 R18 91W XL
	5D
ght (mm)	4,059/1,780/1,444
	2,564
nm)	1,525/1,505
<i>(</i> ,)	355
/ (l)	40
with driver (kg)	1,262
with driver (kg) Front/Rear	798/464
allowed (kg)	1,680/1,760
without brake (kg)	620
w/brake 8% (kg)	1,200
w/brake 12% (kg)	1,200
-	

*MMTA varies according to trim.



Petrol	Reference	Style	Beats	Xcellence	FR
1.0 MPI 65 HP (48 kW) Start/Stop	0	-	-	-	-
1.0 MPI 80 HP (59 kW) Start/Stop	0	0	0	0	-
1.0 EcoTSI 95 HP (70 kW) Start/Stop	0	0	0	0	0
1.0 EcoTSI 115 HP (85 kW) Start/Stop	_	0	0	0	0
1.0 EcoTSI 115 HP (85 kW) DQ Start/Stop	0	0	0	0	0
1.5 EcoTSI 150 HP (110 KW) Start/Stop	-	-	-	-	0
TGI					
1.0 TGI 90 HP (66 kW) Start/Stop	0	0	0	0	0
Diesel					
1.6 TDI 80 HP (59 kW) Start/Stop	0	0	0	0	0
1.6 TDI 95 HP (70 kW) Start/Stop	0	0	0	0	0
1.6 TDI 95 HP (70 KW) DQ Start/Stop	0	0	0	0	0
1.6 TDI 115 HP (85 KW) Start/Stop	_	0	0	0	0

O Optional - Not available

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Dimensions.









SEAT is committed to a policy of continuous product development and reserves the right to make changes to specifications, colours and prices without notice. The information in this brochure can therefore be given as guidance only. While SEAT makes every effort to ensure that specifications are accurate at the time of publication, you should always check with your authorised SEAT Partner for the latest information. Due to limitations of the printing process the colours reproduced in this brochure may vary slightly from the actual paint colour and material. This vehicle and all its parts, as well as the original spares, were designed according to the Legal Regulations governing the prevention and minimisation of Environmental lmpact, through the use of recycled/recyclable materials, with measures taken to achieve suitable recycling for the conservation and improvement of environmental quality.

03/2019. Printed in Spain.